

Birdwatching Hints

- Birds are more active in the early morning, late afternoon and after rain
- Good viewing spots are where dense vegetation meets open areas, for example along the first half of the Stringybark track.
- Listen for bird calls and look for flowering plants which attract nectar-eating and/or insect-eating birds.
- Move quietly and watch for bird movements and gatherings of birds. Stand still and be patient and many birds will re-appear.

Discover how interdependent the birds, plants and other creatures are in this Park's ecosystems. Which plants provide birds with food, shelter and nest sites? Which birds help plants to reproduce by dispersing seeds and pollen and by eating potentially damaging insects?

Despite the many birds in this Park, our native birds are under threat due to the small size and fragmented nature of our remnant vegetation. As the old birds die, their species could become locally extinct if we don't increase their habitat and reduce our current impact on it. When visiting Kaiser Stuhl, please do your bit to help its inhabitants survive by abiding by all Park rules.



This leaflet is provided by the
**FRIENDS OF KAISER STUHL
CONSERVATION PARK**

a voluntary group working for the
Park.

**DONATIONS HELP US
TO CONTINUE THIS SERVICE**

For further information contact:

P.O. Box 258 ANGASTON, 5353

or the

NPWSA Ranger at Para Wirra, ph. 8280 7048

Please be bird friendly by following Park rules and staying on the marked tracks.

This reduces the risk of spreading weeds and diseases and damaging the plants on which the birds and other creatures depend.

It also gives them more living space free from human intrusion.

Printed on recycled paper

BIRDS

for
**KAISER STUHL
CONSERVATION
PARK**



Stubble Quail (U)	Musk Lorikeet (F)	Yellow-faced Honeyeater (F)	Grey Currawong (F)
Australian Wood Duck (F)	Cockatiel (R)	Yellow-plumed Honeyeater (U)	Australian Raven (F)
Pacific Black Duck (U)	Adelaida Rosella (Res)	Fuscous Honeyeater (R)	Little Raven (F)
Little Pied Cormorant (U)	Eastern Rosella (R)	White-plumed Honeyeater (Res)	White-winged Chough (R)
White-necked Heron (R)	Elegant Parrot (R)	Brown-headed Honeyeater (C)	Richard's Pipit (R)
White-faced Heron (F)	Budgerigar (R)	White-naped Honeyeater (F)	Singing Bushlark (R) Sp.
Straw-necked Ibis (R)	Pallid Cuckoo (U)	New Holland Honeyeater (Res)	Common SkyLark * (U)
Australian White Ibis (U)	Fan-tailed Cuckoo (U)	White-fronted Honeyeater (U) Sp.	Red-browed Finch (F)
Black-shouldered Kite (U)	Black-eared Cuckoo (U)	Crescent Honeyeater (F)	Zebra Finch (U)
Whistling Kite (U)	Horsfield's Bronze-cuckoo (F)	Tawny-crowned Honeyeater (F)	Diamond Firetail (F)
Collared Sparrow hawk (F)	Shining Bronze cuckoo (R)	Eastern Spinebill (F)	European Goldfinch * (U)
Brown Goshawk (C)	Southern Boobook (Res)	White-fronted Chat (U)	European Greenfinch * (R)
Little Eagle (U)	Earn Owl (U)	Jacky Winter (F)	House Sparrow * (U)
Wedge-tailed Eagle (F)	Tawny Frogmouth (Res)	Scarlet Robin (F)	Mistletoe Bird (F)
Black Falcon (R)	Australian Owllet-nightjar (U)	Red-capped Robin (U)	Welcome Swallow (F)
Brown Falcon (F)	Spotted Nightjar (R)	Hooded Robin (F)	Tree Martin (F)
Nankeen Kestrel (U)	Laughing Kookaburra (Res)	White-browed Babbler (Res)	Fairy Martin (U)
Peregrine Falcon (U)	Sacred Kingfisher (F)	Varied Sittelia (F)	Clamorous Reed-warbler (R)
Australian Hobby (C)	Rainbow Bee-eater (F) Sp/Su	Crested Shrike-tit (R)	Brown Songlark (R)
Black-tailed Native-hen (R)	White-throated Treecreeper (Res)	Golden Whistler (F)	Rufous Songlark (R) Sp.
Black-fronted Dotterel (U)	Brown Treecreeper (Res)	Rufous Whistler (F)	Silvereye (F)
Masked Lapwing (R)	Superb Fairy-wren (Res)	Grey Shrike-thrush (Res)	Common Blackbird * (F)
Spotted Turtle Dove * (U)	Spotted Pardalote (F)	Restless Flycatcher (U)	Bassian Thrush (U)
Feral Pigeon * (U)	Yellow-rumped Pardalote (R)	Willie Wagtail (F)	Common Starling * (F)
Diamond Dove (R)	Striated Pardalote (C)	Grey Fantail (F)	
Peaceful Dove (U)	Brown Thornbill (U)	Black-faced Cuckoo-shrike (F)	Ratings for the park
Common Bronzewing (Res)	Buff-rumped Thornbill (Res)	White-winged Triller (F) Sp/Su	(Res) Resident
Brush Bronzewing (R)	Yellow-rumped Thornbill (F)	White-browed Woodswallow (R)	(F) Frequent
Crested Pigeon (R)	Striated Thornbill (U)	Masked Woodswallow (R)	(C) Common
Zalah (F)	Yellow Thornbill (Res)	Black-faced Woodswallow (R)	(U) Uncommon
Little Corella (U)	Weebill (F)	Dusky Woodswallow (F)	(R) Rare
Sulphur-crested Cockatoo (U)	Little Wattlebird (U)	Grey Butcherbird (U)	* Introduced
Rainbow Lorikeet (R)	Red Wattlebird (F)	Magpie-lark (F)	Sp. = Spring; Su = Summer
Purple-crowned Lorikeet (F)	Noisy Miner (U)	White-backed Magpie (F)	